
Ceramic tile cleaning and maintenance Gres Aragón



Final cleaning of work

01

After laying the flooring, any surplus grout and general dirt must be properly cleaned up. The final cleanup should be done when the grouting material has hardened, without allowing too much time to elapse in case the surplus remains stick to the floor


02 For these operations, a slightly acidic detergent, such as Fila Deterdek, should be used which does not give off any toxic fumes, damage the tile joints or constitute a hazard for users. Test the detergent first to make sure that it does not affect the joints or ceramic tiles.

03

The flooring can also be cleaned mechanically, with a cleaning machine fitted with rotating brushes made of plastic bristles (since metal ones might damage the flooring), or by hand with a brush and warm water.

A pressure washer can be used to clean away tougher dirt and remains.





Daily cleaning and maintenance



For the flooring's proper care, a thorough neutral detergent like FilaCieaner should be used.



On exceptional occasions, when there is heavy organic builtup dirt or grease, an alkaline grease-removing detergent like Fila PS/87 should be used.



Detergents should be avoided that contain wax or oils, since they might incrust dirt even further and reduce the flooring's non-slip grip.



It is important to frequently change the cleaning water, so as not to drag the dirt in suspension.



Solutions for every type of stain

Type of incrusted dirt	Cleaning product
Grease	
Drinks and food	An alkaline grease- removing detergent
Rubber from footwear o tyres	like FILA PS/87 PRO
Ink and felt-tip pen	
Cement and dissolved lime	
Efflorescence	An acidic detergent
Metal scratches and oxides	like DETERDEK PRO
Blackened stains caused by atmospheric agents	
Graffiti	A solvent like FILASOLV
Candle wax and tree resin	A solvent
Remains of adhesive tape	like FILA FILASOLV
Remains of epoxy sealants	An epoxy residue remover like CR10 by Fila

*Follow the manufacturer's instructions for the cleaning product and observe any safety guidelines.

GRES ARAGON